

---

SCHRIFTENREIHE GALVANOTECHNIK  
UND OBERFLÄCHENBEHANDLUNG

---

Dr.-Ing. Dr. rer. nat. Magnus Buhlert

# Electropolishing

**Electrolytic brightening, smoothing and deburring  
of stainless steel, steel, brass, copper, aluminium,  
titanium and magnesium**

1<sup>st</sup> edition



# Content

<b>1</b>	<b>Introduction.....</b>	<b>11</b>
<b>2</b>	<b>Removal Process.....</b>	<b>13</b>
2.1	Characteristics of the removal process.....	13
2.2	Electrochemical Reactions.....	13
2.2.1	Anodic Reactions.....	13
2.2.1.1	Classical idea of metal removal .....	13
2.2.1.2	Stainless Steel and Steel.....	14
2.2.1.3	Brass and copper .....	15
2.2.1.4	Aluminium.....	15
2.2.1.5	Magnesium.....	15
2.2.1.6	Titanium.....	15
2.2.1.7	Oxygen evolution under transpassive conditions .....	15
2.2.2	Cathode reactions .....	17
2.2.2.1	Hydrogen formation.....	18
2.2.2.2	Metal deposition.....	18
2.2.3	Charge transport in the electrolyte.....	18
2.3	Removal mechanism .....	19
2.3.1	Transport limitation .....	19
2.3.2	Dynamic behaviour of the removal process.....	20
2.3.3	Development of oxygen bubbles.....	21
2.3.3.1	Videos take of a Hull cell anode during electropolishing .....	24
2.3.3.2	Observation of the electropolishing process in a Hull cell with rotating cylindrical electrode .....	27
2.4	About electropolishing.....	30
2.5	Relationship between removal and amount of current .....	33
2.6	Patterning during electropolishing .....	35

2.7	Pros and cons of electropolishing.....	37
2.8	Examples for use of electropolished pieces or devices .....	39
<b>3</b>	<b>Influence of different manufacturing parameters during electropolishing .....</b>	<b>49</b>
3.1	Manufacturing process.....	49
3.2	Influence of different process parameters .....	52
3.2.1	Classification of the different parameters .....	52
3.2.2	Preparation of the workpiece .....	53
3.2.2.1	Cleaning of the surface .....	53
3.2.2.2	Mechanical and electrochemical pre-treatment .....	54
3.2.2.3	Preparation of weld seams for electropolishing .....	57
3.2.3	Electrolyte composition.....	58
3.2.4	Ageing of the electrolyte.....	60
3.2.5	Influence of electropolishing time .....	63
3.2.5.1	Dependence of removal on electropolishing time.....	63
3.2.5.2	Micro-roughness versus removal time .....	64
3.2.6	Temperature of the electrolyte .....	67
3.2.7	Current and current density .....	69
3.2.8	Advantage of the use of pulsed current .....	71
3.2.9	Position of the surfaces to be removed or electropolished.....	75
3.2.9.1	Impression.....	75
3.2.9.2	Influence of sample position on the gloss value.....	77
3.2.9.3	Influence of the workpiece position on the surface roughness .....	79
3.2.10	Forced convection .....	81
3.2.11	Influence of the alloy composition.....	83
3.2.11.1	Influence of carbon content of stainless steel.....	83
3.2.11.2	Influence of nickel content during electropolishing of stainless steel .....	85
3.2.11.3	Influence of the molybdenum content on electropolishing of stainless steels.....	86
3.2.12	Influence of the structure of stainless steel on electropolishing .....	87
3.2.12.1	Influence on the removal speed.....	88
3.2.12.2	Influence on gloss value and roughness .....	90
<b>4</b>	<b>Optimisation of removal results.....</b>	<b>91</b>
4.1	Parameter variation .....	91
4.2	Usage of Hull cells .....	92

	Content	9
<b>5 Electrolytes used for electropolishing.....</b>		98
5.1 Electrolytes for steel and stainless steel .....		98
5.2 Brass and copper – phosphoric acid and alcohols.....		98
5.3 Aluminium and mixtures of sulphuric and phosphoric acid .....		99
5.4 Magnesium electrolyte .....		99
5.5 Electrolytes used for electropolishing of titanium .....		100
<b>6 Selected manufacturing results.....</b>		102
6.1 Investigations on stainless steel .....		102
6.1.1 Influence of the electrolyte mixture on electropolishing of stainless steel .....		102
6.1.2 Depth of removal and removal speed in case of electropolishing of stainless steel .....		104
6.1.3 Roughness on the micro-scale during electropolishing of stainless steel .....		106
6.1.4 Gloss value of electropolished stainless steel .....		107
6.2 Special variations of the manufacturing process.....		108
6.2.1 Electropolishing of stainless steel weld seams .....		108
6.2.2 Electropolishing of stainless steel with pulsed current.....		108
6.2.3 Micro-electropolishing of stainless steel .....		109
6.3 About electropolishing of steel .....		111
6.3.1 Gloss value of electropolished steel.....		112
6.3.2 Corrosion protection of electropolished steel.....		114
6.4 Electropolishing of brass and copper.....		114
6.4.1 Influence of different alcohols on the roughness of electropolished brass .....		114
6.4.2 Removal of brass.....		115
6.4.3 Gloss value and nano-roughness of electropolished brass surfaces.....		116
6.5 Some results on electropolishing of aluminium.....		117
6.5.1 The importance of a short time between electropolishing and rinsing .....		117
6.5.2 Roughness of electropolished aluminium surfaces.....		119
6.5.3 Gloss value of electropolished aluminium.....		121
6.6 Electropolishing of magnesium.....		123
6.7 Electropolishing of titanium.....		124
6.7.1 Removal during electropolishing of titanium .....		124
6.7.2 Roughness of electropolished titanium.....		125

<b>7 Remarks with respect to job safety and environmental efforts.....</b>	127
<b>8 Acknowledgement .....</b>	128
<b>9 Literature.....</b>	129
<b>10 Appendix.....</b>	134
10.1 Definition of used roughness parameters .....	134
10.2 Measurement of the gloss value .....	135
10.3 Abbreviation.....	137
<b>Index.....</b>	138